



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/084,857	02/25/2002	Jan Weber	S13.12-0128	6210

7590 11/23/2005

Joseph R. Kelly
WESTMAN CHAMPLIN & KELLY
Suite 1600 - International Centre
900 South Second Avenue
Minneapolis, MN 55402-3319

EXAMINER

BUI, VY Q

ART UNIT	PAPER NUMBER
----------	--------------

3731

DATE MAILED: 11/23/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

SP

Office Action Summary	Application No. 10/084,857	Applicant(s) WEBER, JAN	
	Examiner Vy Q. Bui	Art Unit 3731	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 08 October 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-2, 4-30, 41-49 is/are pending in the application.
- 4a) Of the above claim(s) 9, 10, 13-19, 27 and 30-41 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 4-8, 11, 12, 20-26, 28, 29 and 42-49 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-2, 4-7, 20-25, 43 and 47 are rejected under 35 U.S.C. 102(e) as being anticipated by Garibaldi et al.-6,364,823.

As to claims 1-2, 4-7 and 20-25, Garibaldi et al.-6,364,823 (col. 7, line 64 to col. 8, line 61; Fig. 10-13) discloses a medical device 120 (can be used as an embolic coil or a stent) having magnetically susceptible material/particles disposed around a core of nitinol 122, an magnetic field B. The magnetically susceptible material (particles) has a Curie point below normal body temperature of 98.6 F (col. 13, lines 9-33) so that when deployed in a patient, the patient body will cause the magnetically susceptible material (particles) to decrease the magnetic susceptibility.

As to claims 43 and 47, Garibaldi et al.-6,364,823 discloses patch 120 including nitinol hoop/core 122 (col. 8, lines 2-6).

Art Unit: 3731

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 8, 11-12, 26, 28-29, are rejected under 35 U.S.C. 103(a) as being unpatentable over Garibaldi et al.-6,364,823.

As to claims 8, 11, 26 and 29, Garibaldi et al.-6,364,823 discloses substantially the invention and core 122 made of a nitinol so that the medical device can open when released from a catheter. Garibaldi-'823 does not explicitly disclose the core 122 made of a magnetically susceptible material. However, Garibaldi-'823 discloses a metal gadolinium (col. 13, lines 9-33) as a magnetically susceptible material. Gadolinium has a high modulus of elasticity (about 76 Gpa) comparable to a nitinol (about 40-75 Gpa). It would be obvious to one of ordinary skill in the art at the time of the invention to substitute nitinol core 122 of the Garibaldi-'823 device by gadolinium core 122 so that the medical device can open when it is released from a catheter.

As to claim 12, Garibaldi et al.-6,364,823 discloses substantially the invention and the magnetically susceptible material being gadolinium or PdNi. Garibaldi et al.-6,364,823 does not disclose FeO (Ferrite Oxide) or CrO (Chromium Oxide) a magnetically susceptible material. However, FeO (Ferrite Oxide) or CrO (Chromium Oxide) are well known magnetically susceptible material. It would have been obvious to one of ordinary skill in the art at the time of the invention to use FeO or CrO (Chromium Oxide) as a magnetically susceptible material in place of a gadolinium or a PdNi.

As to claim 28, Garibaldi et al.-6,364,823 does not disclose less than the total core is

Art Unit: 3731

coated with magnetically susceptible material. However, it would have been obvious to one of ordinary skill in the art at the time of the invention to coat the core less than the total core for this configuration is only a design choice (no criticality).

As to claims 42, 44-46, 48-49, Garibaldi et al.-6,364,823 discloses substantially the invention. The claims refer to a manner the coating is made, which does not provide much patentable weight to the device of the present invention.

Response to Arguments

Applicant's arguments filed 8/10/2005 have been fully considered but they are not persuasive. Giribaldi-'823 (col. 8, lines 47-61) discloses using embolic patches 120 as a stent to support a blood vessel, which patches have a magnetic susceptibility that decreases within a preselected temperature range and a magnetic material whose Curie point below normal body temperature can be used to make patches 120 to form a stent. From Giribaldi-'823 teaching, it is clear that one can use patches 120 having Curie point below body temperature to form a stent. Notice that body temperature (98.6F) provides heat that would decrease magnetic property of the stent formed with patches 120. Further, the claims only recite a preselected temperature range and not a specific range to make the claimed invention different from the Giribaldi-'823 reference.

Art Unit: 3731

Conclusion


THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vy Q. Bui whose telephone number is 571-272-4692. The examiner can normally be reached on Monday-Tuesday and Thursday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anhtuan T. Nguyen can be reached on 571-272-4963. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


12/31/2005

Vy Q. Bui
Primary Examiner
Art Unit 3731